

## MARC DUPUIS

Born in Quebec City, November 11, 1956

Married

Bilingual: French, English

3111 Alger Street

Jonquière, Quebec

Canada G7S 2M9

Phone: (418) 548-1541

Cell: (418) 376-7887

E-mail: marc.dupuis@genisim.com

---

## SUMMARY

- Chemical Engineer with more than forty years of experience in research and development in the aluminium industry.
- Have been mainly involved with mathematical modelling of industrial processes dealing with thermo-electric, thermo-mechanic, electro-magnetic and hydrodynamic phenomena.

## EDUCATION

- **Ph.D. Chemical Engineering - C.R.S.N.G. Scholarship** **1984**  
Laval University
- **M.A.Sc. Chemical Engineering - Alcan Scholarship** **1982**  
Laval University
- **B.A.Sc. Chemical Engineering** **1980**  
Laval University

## ADDITIONAL TRAINING

- Courses on many commercial **simulation packages**
  - fluid flow: FLUENT, FIDAP, CFDS-FLOW3D, TASCflow, CFX-4
  - stress, heat transfer and electro-magnetic: ANSYS
  - pre and post processing: PATRAN, DesignModeler, SpaceClaim
  - process flowsheet: ASPEN PLUS

## AFFILIATIONS

- Member of the TMS Aluminium Committee
- Member of the Minerals, Metals and Materials Society (TMS)
- Director of the International Committee for Study of Bauxite, Alumina & Aluminium (ICSOBA)
- Member of the Canadian CFD Society (Director 1994 -1997)
- Member of the Order of Engineers of Quebec (OIQ)
- Member of the Canadian Institute of Mining, Metallurgy and Petroleum (CIM)

## EXPERIENCE

### **GÉNISIM INC. (25 years anniversary)**

**1994 – 2023**

GéniSim Inc. is 100% own by Marc Dupuis

#### *CONSULTANT IN NUMERICAL SIMULATION*

Have developed customized version of thermo-electric mathematical models of the Hall-Heroult cell and provided support for theirs successful applications.

Have developed and commercialised Dyna/Marc, a software that simulates the dynamic behaviour of an aluminum reduction cell.

### **ALCAN INTERNATIONAL LTD.**

**1984 - 1994**

Arvida Research and Development Center

Operating three research centers internationally, this company holds the technological mandate for Alcan.

#### *SENIOR RESEARCH ENGINEER*

**1991 - 1994**

In charge of the research and development of mathematical models dealing with the thermo-electric, thermo-mechanic and magneto-hydrodynamic phenomena of the Hall-Hérault cell.

#### *PRINCIPAL RESEARCH ENGINEER*

**1987 - 1991**

Research and development of mathematical models dealing with the thermo-mechanic phenomenon of the Hall-Heroult cell. In charge of the thermo-electric cathode design of many experimental cells.

#### *RESEARCH ENGINEER - postdoc C.R.S.N.G. Scholarship*

**1984 - 1987**

Research and development of mathematical models dealing with the thermo-electric phenomenon of the Hall-Hérault cell.


## SELECTED PERSONAL ACHIEVEMENTS

*As a consultant:*


- Was the workshop leader of the workshop on aluminium electrolysis that was part of the ICSOBA 2014 conference in Zhengzhou China



- One of the editors of the book Essential Reading in Light Metals volume 2 Aluminum Reduction technology




- Gave 1 month training in GAMI Institute in Guiyang China to GAMI's team of mathematical modellers.




- Participated as international guest speaker to the ALEL 02 International Aluminium Electrolysis Seminar organized by the JNARDDC in Nagpur India.
- Was also on the panel of the Indian Aluminium Electrolysis Roadmap.




- Has developed a 3D full cell and external busbars thermo-electric model that constitutes a step further towards the development of a fully "multi-physic" unified aluminium reduction cell model.



- Have developed the software **Dyna/Marc** that simulates the dynamic behaviour of an aluminum reduction cell. **Dyna/Marc** is commercialised by GéniSim Inc.



- Has developed a full-scale 3D ventilation model that is able to reproduce the ventilation pattern in modern smelter “potroom” based the CFX-4 commercial code in order to have access to the differential Reynolds flux turbulence model that in 3D requires the solution of 10 partial differential equations.



- Has provided to Lauralco the modeling tools (both 3D ANSYS based thermo-electric models and Dyna/Marc cell simulator that helped them become the most efficient smelter of the industry.

		START-UP	LATEST POTS
		1992	1998
<b>PRODUCTION :</b>			
▪ Production per pot/day	(kg)	2245	2486
▪ Current efficiency	(%)	94.5	96
<b>POWER :</b>			
▪ Amperage	(kA)	295	319
▪ Pot voltage	(V)	4 330	4 185
▪ DC kWh/t		13 650	13 000
<b>CONSUMPTIONS :</b>			
▪ Gross carbon	(kg/t)	540	493
▪ Net carbon	(kg/t)	410	397
▪ Anodes cycle-shifts-8 hours		80	90
<b>METAL PURITY :</b>			
▪ Iron	(ppm)	---	700
▪ Silicon	(ppm)	---	240
<b>POT CONDITION :</b>			
▪ Anode effects	(pot/day)	0.40	0.20


Tableau no. 1 : Lauralco's results

*At Alcan, in chronological order:*

- Developed and validated a model of the three dimensional thermo-electric behavior of a Hall-Heroult cell prebake anode. I had the privilege of presenting this work to the President of Alcan, as one of the main accomplishments of the Arvida research and development center in 1984.




- Developed and validated a model of the three dimensional thermo-electric behavior of a Hall-Héroult cell cathode including the prediction of the steady state freeze profile. This work, done in 1985, gave Alcan, way ahead of its competitors, a very powerful tool to design a Hall-Héroult cell cathode.




- Developed and programmed, in 1986, a user interface that regrouped under one environment many different Fortran programs developed over a period of ten years. These programs, as a whole, represented Alcan's magneto-hydrodynamic modelling capabilities. After the implementation of the user interface, a typical MHD run could be processed much faster. Moreover, input errors were reduced and file archiving was handled more rigorously.
- Designed, using 3D thermo-electric cathode models, four cathode linings prototyped by Alcan between 1987 and 1991. Comparison of predicted versus measured behavior were within 5% in each case, demonstrating the value of the numerical tools developed.
- Formed and directed, between 1987 and 1992, a team of five research professionals among which, three were external consultants. This team successfully developed many models of the thermo-mechanic and chimio-mechanic behavior of a Hall-Héroult cell. This research effort gave Alcan, for the first time, design tools in this area of cell design.
- Was system manager, between 1989 and 1994, of a network of six Silicon Graphics workstations. Among other things, I installed and maintained network licenses for many commercial packages. Under my supervision, the usage of the workstations network by my co-workers and myself was smooth and efficient.

- Developed, between 1991 and 1993, a new generation of electro-magnetic and magneto-hydrodynamic models of the Hall-Héroult cell, within a very limited budget. This new generation of models is based on commercial finite element packages. This new generation of models will, for one thing, allow the possibility to represent the real geometry of the system.



- Developed, in 1993, a model of the hydrodynamic behavior of the air in the potroom of an aluminium smelter. To do so, I used the commercial package CFDS-FLOW 3D. The model takes advantage of the availability of the Reynolds Flux turbulence model to be able to represent the anisotropic properties of the turbulent natural convection flow over the pots. By doing so, it was possible, for the first time, to reproduce, in a model, the experimental flow pattern I measured nine years earlier, during my graduate studies on the subject.



- Developed and taught, in 1993 and 1994, with the help of an external consultant, two courses on the mathematical modelling of Hall-Héroult cells. These courses provided the opportunity to transmit the expertise acquired over the last ten years in the field of computer assisted design of Hall-Héroult cells.

## THESIS, PATENTS & SELECTED INTERNAL REPORTS

- Simulation mathématique de la circulation d'air dans les salles de cuves, 1980, Alcan
- Simulation mathématique de la circulation d'air dans les salles de cuves d'électrolyse de l'aluminium, 1981, M.A.Sc. Thesis
- Simulation mathématique de la circulation d'air dans les salles de cuves d'électrolyse de l'aluminium, 1984, Ph.D. Thesis

- Comportement thermo-électrique d'une anode; étude théorique et expérimentale, 1986, Alcan
- Modèle tri-dimensionnel de simulation du comportement thermo-électrique d'une cathode, 1987, Alcan
- Thermo-electrical design of a reduction cell, 1989, Alcan
- Analysis of early failure of the carbon block, 1991, Alcan
- Compte rendu de la conférence AIME 1992, 1992, Alcan
- An overview of ANSYS based modelling, Alcan Reduction Group - ARDC, 1993, Alcan
- Validation de modèle thermo-électrique d'une cuve : modèle quart de cuve, 1993, Alcan
- User guide for developing thermo-electric cathode models, 1994, Alcan
- Summary of mathematical models built between 1984 and 1994 in the reduction group at the Arvida laboratory, 1994, Alcan
- Modèle ANSYS du four à arc de calcination de l'antracite, 1994, CompuSim
- Description of the dynamic cell model as implemented in the Excel worksheet, 1995, GéniSim
- Modèle ANSYS de la procédure de roddage des blocs de cathode, 1995, GéniSim
- Modèle TASCflow3D du système de captation des émanations de gaz produits lors du démarrage d'une cuve Söderberg, 1995, GéniSim
- Modèle ANSYS de l'anode P155, 1995, GéniSim
- Computation of heat transfer coefficient tables establishing boundary conditions between hot surfaces and their surroundings, 1996, GéniSim
- Modèle TASCflow3D du distributeur de métal d'une table de coulée de lingots de laminage, 1996, GéniSim
- Les modèles thermiques, 1997, CQRDA cours d'électrolyse
- Process Simulation, 1997, TMS Industrial Aluminum Electrolysis course
- Dyna/Marc version 1.0 User's Guide, 1998, GéniSim
- Dyna/Marc version 1.1 User's Guide, 1998, GéniSim
- Dyna/Marc version 1.2 User's Guide, 1998, GéniSim
- Dyna/Marc version 1.3 User's Guide, 1999, GéniSim
- Feedback on a new control strategy for aluminium electrolysis using Cry-O-Therm sensors, 1999, GéniSim
- Dyna/Marc version 1.4 User's Guide, 1999, GéniSim
- Dyna/Marc version 1.5 User's Guide, 2000, GéniSim

- 
- Modèle CFX-4 du four de refonte expérimental du CRDA et d'un four industriel à six brûleurs, 2001, GéniSim
  - Dyna/Marc version 1.6 User's Guide, 2001, GéniSim
  - Description of the KS and T39 3D thermo-electric cathode side slice models, 2001, GéniSim
  - Results of the October 2001 thermal blitz campaign, 2001, GéniSim
  - Validation of the KS and T39 3D thermo-electric cathode side slice models, 2001, GéniSim
  - Lining designs of the second generation lower energy prototypes, 2001, GéniSim
  - US patent 6,294,067: 3 component cathode collector bar, 2001, Alcoa
  - Results of the June 2002 thermal blitz campaign, 2002, GéniSim
  - Validation of the KS 3D thermo-electric cathode side slice model at 126 kA, 2002, GéniSim
  - Dyna/Marc version 1.7 User's Guide, 2002, GéniSim
  - Dyna/Marc version 1.8 User's Guide, 2003, GéniSim
  - Results of the May 2003 thermal blitz campaign, 2003, GéniSim
  - Impact of porosities on busbar voltage drop, 2003, GéniSim
  - Description of the Hirkud 3D thermo-electric cathode side slice model, 2003, GéniSim
  - Dyna/Marc version 1.9 User's Guide, 2006, GéniSim
  - Hatch EMAL smelter project review (DX technology review part), 2007, Hatch
  - NEUI trip visit report, 2007, GéniSim
  - Dyna/Marc version 1.95 User's Guide, 2010, GéniSim
  - Dyna/Marc version 12.0 User's Guide, 2011, GéniSim
  - Dyna/Marc version 13.0 User's Guide, 2011, GéniSim
  - Dyna/Marc version 14.0 User's Guide, 2012, GéniSim
  - WO 2017/020123 A1 : Electrical connector system for electrolysis cell of aluminium production plan and method of using same, 2017, GéniSim
  - Summary of the design work done during the first week of my May 2017 visit, 2017, GéniSim
  - Review of the busbar patents, 2017, GéniSim
  - CAN patent 2,977,410: Anode assembly and methode for anode assembly, 2018, Hatch
  - Dyna/Marc version 15.0 Windows 10 compatible User's Guide, 2019, GéniSim



**SELECTED PUBLICATIONS**

- Simulation mathématique de la circulation de l'air dans une enceinte avec ouvertures et sources chaudes localisées, *Can. J. Chem. Eng.*, 63, 155-161, (1985)
- Simulation bidimensionnelle de phénomènes de convection naturelle et force en formulation primitive, *Can. J. Chem. Eng.*, 65, 550-558, (1987)
- La modélisation de la turbulence dans une enceinte avec ouvertures et sources chaudes localisées, *Can. J. Chem. Eng.*, 67, 713-721, (1989)
- Cathode shell stress modelling, *Proceedings of the 120th TMS Light Metals Conference*, 427-430, (1991)
- Thermo-electric coupled field analysis of aluminium reduction cells using the ANSYS parametric design language, *Proceedings of the ANSYS fifth international conference*, volume 3, 1780-1792, (1991)
- Thermo-electric analysis of aluminium reduction cells, *Proceedings of the 31st annual conference of CIM, Light Metals section*, 55-62, (1992)
- Hall-Heroult cell, cathode shell modelling: impact of sodium swelling on the loading forces, *Proceedings of the 31st annual conference of CIM, Light Metals section*, 115-129, (1992)
- Turbulence modelling of air circulation in an enclosure with multiple openings and local heat sources, *Proceedings of the 32nd annual conference of CIM, Computer Software section*, 229-236, (1993)
- Thermal study of the coke pre-heating technique for a Hall-Heroult cell, *Proceedings of the 32nd annual conference of CIM, Light Metals section*, 93-100, (1993)
- Shell design technique considering the sodium swelling phenomena of carbon cathode blocks, *Proceedings of the 32nd annual conference of CIM, Light Metals section*, 125-130, (1993)
- Thermo-electric analysis of the Grande-Baie Aluminium Reduction Cell, *Proceedings of the 123rd TMS Light Metals Conference*, 339-342, (1994)
- Evaluation of thermal stresses due to coke preheat in a Hall-Heroult cell, *Proceedings of the ANSYS sixth international conference*, volume 1, 3.15-3.23, (1994)
- Thermo-electro-magnetic modelling of a Hall-Heroult cell, *Proceedings of the ANSYS sixth international conference*, volume 4, 9.3-9.13, (1994)

- Modeling of Aluminum Reduction Cells Using Finite Element Analysis Techniques, Proceedings of the 124th TMS Light Metals Conference, 295-299, (1995)
- Process Simulation of Aluminum Reduction Cells, Proceeding of the 125th TMS Light Metals Conference, 451-457, (1996)
- Optimization of Anthracite Calcination Process in a Vertical Electric Arc Furnace, Proceedings of the 125th TMS Light Metal Conference, 597,602 (1996)
- Using a Steady-State Model of an Aluminum Reduction Cell to Investigate the Impact of Design Changes, Proceedings of the 35th annual conference of CIM, Light Metals section, 419-429, (1996)
- Simulation of the Dynamic Response of Aluminum Reduction Cells, Proceedings of the 126th TMS Light Metal Conference, 443,447 (1997)
- Estimation of the Gas Exhaust Rate Required on an Aluminium Reduction Cell during Start-up using TASCflow3D, CFD97 Conference Proceedings, 8-3,8-8, (1997)
- Computational of Aluminum Reduction Cell Energy Balance using ANSYS Finite Element Models, Proceedings of the 127th TMS Light Metal Conference, 409,417 (1998)
- Using ANSYS Based Aluminum Reduction Cell Energy Balance Models to Assist Efforts to Increase Lauralco's Smelter productivity, Proceeding of the ANSYS 8<sup>th</sup> International Conference, volume 2, 2.233-2.240, (1998)
- Development of a 2D+ Dynamic Model of an Aluminum Reduction Cell, Proceedings of the 38th annual conference of CIM, Light Metals section, 41-55, (1999)
- Thermo-Electric Design of a 400 kA Cell using Mathematical Models: A Tutorial, Proceedings of the 129th TMS Light Metal Conference, 297-302, (2000)
- Development of a 3D Transient Thermo-Electric Cathode Panel Erosion Model of an Aluminum Reduction Cell, Proceedings of the 39th annual conference of CIM, Light Metals section, 169-178, (2000)
- Usage of a Full 3D Transient Thermo-Electric F.E. Model to Study the Thermal Gradient Generated in the Lining during a Coke Preheat, Proceedings of the 130th TMS Light Metal Conference, 757-761, (2001)
- 3D Modeling of the Ventilation Pattern in an Aluminum Smelter "Potroom" Building using CFX-4, CFD2001 Conference Proceedings, 161-166, (2001)
- Computation of Accurate Horizontal Current Density in Metal Pad using a Full Quarter Cell Thermo-Electric Model, Proceedings of the 40th annual conference of CIM, Light Metals section, 3-11, (2001)

- 
- Modeling Power Modulation, Proceedings of the 131st TMS Light Metal Conference, 489-493, (2002)
  - Using ANSYS to Model Aluminum Reduction Cell since 1984 and Beyond, Proceedings of the ANSYS 10<sup>th</sup> International Conference, available only on CD, (2002)
  - Using Mathematical Models to Improve the Thermal Balance of Hall-Héroult Cells, Proceeding of the International Seminar on Aluminium Electrollysis (ALEL 2002), available only on CD, (2002)
  - Towards the Development of a 3D Full Cell and External Busbars Thermo-Electric Model, Proceedings of the 41st annual conference of CIM, Light Metals section, 25-39, (2002)
  - Performing Fast Trend Analysis on Key Design Parameters, Proceedings of the 132nd TMS Light Metal Conference, 255-262, (2003)
  - Thermo-Electric Design of a 500 kA Cell, Article in the International Aluminium Journal, 79(7/8), 629-631, (2003)
  - Indian Aluminium Smelters Roadmap Selects Mathematical Modeling as Key Strategic Activity, available on GéniSim website, (2003)
  - Calculating Temperature Under Hood of a Prebake Anode Cell, Proceedings of the 42nd annual conference of CIM, Light Metals section, 47-55, (2003)
  - Demonstration Thermo-Electric and MHD Mathematical Models of a 500 kA Al Electrolysis Cell , Proceedings of the 42nd annual conference of CIM, Light Metals section, 3-20, (2003)
  - Demonstration thermo-electric and MHD mathematical models of a 500 kA aluminum electrolysis cell: part2, Proceedings of the 133<sup>rd</sup>, TMS Light Metal Conference, 453-459, (2004)
  - Accurate assessment of the Hirakud smelter aluminium reduction cell thermal balance using only temperature measurements, Proceedings of the 43rd annual conference of CIM, 525-533, (2004)
  - Modeling aluminium reduction cell since 1980 and beyond, presentation at the Workshop in numerical simulations for the aluminum industry, École Polytechnique Fédérale de Lausanne, available on EPFL and GéniSim websites, (2004)
  - Thermo-electric design of a 740 kA cell, is there a size limit ?, Article in the International Aluminium Journal, 81(4), 324-327, (2005)

- Weakly coupled, thermo-electric and MHD mathematical models of an aluminium electrolysis cell, Proceedings of the 134<sup>th</sup>, TMS Light Metal Conference, 449-454, (2005)
- Study of the thermally-induced shell deformation of high amperage Hall-Héroult cells, Proceedings of the 44th annual conference of CIM, 35-47, (2005)
- Impact of using selective collector bar rodding on the MHD stability of a 500 kA aluminium electrolysis cell, Proceedings of the 44th annual conference of CIM, 19-33, (2005)
- Excess  $AlF_3$  concentration in bath control logic, National Conference on Advancements in Aluminium Electrolysis, Indian Institute of Metals, Angul Chapter, (2006)
- MHD and potshell mechanical design of a 740 kA cell, Article in the International Aluminium Journal , 82(5), 442-446, (2006)
- Thermo-chemo-mechanical modeling of a Hall-Héroult cell thermal bake-out, Proceedings of the 135<sup>th</sup>, TMS Light Metal Conference, 669-674, (2006)
- Busbar sizing modeling tools: comparing an ANSYS® based 3D model with the versatile 1D model part of MHD-Valdis, Proceedings of the 135<sup>th</sup>, TMS Light Metal Conference, 341-346, (2006)
- Comparing the MHD cell stability of an aluminium reduction cell at different metal pad height and ledge thickness, Proceedings of the 45<sup>th</sup> annual conference of CIM, 479-497, (2006)
- Thermo-electro-mechanical modelling of a Hall-Héroult cell coke-bed preheating, Proceedings of the 45<sup>th</sup> annual conference of CIM, 525-542, (2006)
- Cell voltage noise removal and cell voltage (or resistance) slope calculation, Proceeding of the 12<sup>th</sup> IFAC Symposium on Automation in Mining, Mineral and Metal Processing, 490-492, (2007)
- Modelling thermal dynamic response to a 3-hour total power shutdown event, Proceeding of the 9<sup>th</sup> Australasian Aluminium Smelting Technology Conference, available only on CD, (2007)
- Impact of the vertical potshell deformation on the MHD cell stability behaviour of a 500 kA aluminium electrolysis cell, Proceedings of the 137<sup>th</sup>, TMS Light Metal Conference, 409-412, (2008)
- Challenges in stub hole optimization of cast iron rodded anodes, Proceedings of the 138<sup>th</sup>, TMS Light Metal Conference, 1067-1072, (2009)
- Mathematical modelling of aluminium reduction cell potshell: improvements and applications, Article in the International Aluminium Journal, 86(1/2), 34-38, (2010)

- Mathematical modelling of aluminium reduction cell potshell deformation, Proceedings of the 139<sup>th</sup>, TMS Light Metal Conference, 417-422, (2010)
- Development and application of an ANSYS® based thermo-electro-mechanical anode stub hole design tool, Proceedings of the 139<sup>th</sup>, TMS Light Metal Conference, 433-438, (2010)
- Retrofit of a 500 kA cell design into a 600 kA cell design, Article in the International Aluminium Journal, 87(1/2), 52-55, (2011)
- Development and application of an ANSYS based thermo-electro-mechanical collector bar slot design tool, Proceedings of the 140<sup>th</sup>, TMS Light Metal Conference, 519-524, (2011)
- Using ANSYS and CFX to Model Aluminum Reduction Cell since 1984 and Beyond, Toronto ANSYS Regional Conference, (2011)
- Testing the *In Situ* aluminium cell control with the Dyna/Marc cell simulator, Proceedings of the 50<sup>th</sup> annual conference of CIM, 85-107, (2011)
- Testing Cell Controller Algorithms Using a Dynamic Cell Simulator, Article in the International Aluminium Journal, 88(1/2), 50-55, (2012)
- Modeling Cathode Cooling after Power Shutdown, Article in the International Aluminium Journal, 88(1/2), 65-68, (2012)
- Modeling Cathode Cooling Due to Power Interruption, Proceedings of the 141<sup>th</sup>, TMS Light Metal Conference, 923-928, (2012)
- Depth Analysis and Potentiality Exploitation on Energy-Saving and Consumption-Reduction of Aluminum Reduction Pot, Proceedings of the 141<sup>st</sup>, TMS Light Metal Conference, 601-606, (2012)
- Energy Saving from a Reduction Pot, Article in Aluminium International Today, March/April, 41-44, (2012)
- Measuring Bath Properties using the STARprobe™, ICSOBA 19<sup>th</sup> International Symposium, (2012)
- Testing a new STARprobe™ Measurement Based Ratio Control Algorithm Using a Dynamic Cell Simulator, Article in the International Aluminium Journal, 89(1/2), 76-80, (2013)
- In Depth Analysis of Energy-Saving and Current Efficiency Improvement of Aluminum Reduction Cells, Proceedings of the 142<sup>nd</sup>, TMS Light Metal Conference, 537-542, (2013)
- Production Application Study on Magneto-Hydro-Dynamic Stability of a Large Prebaked Anode Aluminum Reduction Cell, Proceedings of the 142<sup>nd</sup>, TMS Light Metal Conference, 603-607, (2013)

- What is the STARprobe™ and How it Can Help You Improve your Bath Ratio and Temperature Control, Article in Light Metal Age, October, (2013)
- The STARprobe™: A New Technology Allowing Simultaneous Measurements of Four Cryolitic Bath Properties in Only Four Minutes, Canadian International Aluminium Conference (CIAC), October, (2013)
- Further Improvement of Aluminium Reduction Cell Resistance Slope Calculation, Materials Science & Technology Conference Proceedings, (2013)
- Newest MHD-Valdis Cell Stability Studies, Article in the International Aluminium Journal, 90(1/2), 42-44, (2014)
- Influence of the Cathode Surface Geometry on the Metal Pad Current Density, Proceedings of the 143<sup>th</sup>, TMS Light Metal Conference, 479-484, (2014)
- In-Depth Analysis of Lining Designs for Several 420 kA Electrolytic Cells, Proceedings of the 144<sup>th</sup>, TMS Light Metal Conference, 685-690, (2015)
- Non-linear Stability Analysis of Cells Having Different Types of Cathode Surface Geometry, Proceedings of the 144<sup>th</sup>, TMS Light Metal Conference, 821-826, (2015)
- A new aluminium electrolysis cell busbar network concept, ICSOBA 22<sup>nd</sup> International Symposium, (2015)
- On the Importance of Field Validation in the Use of Cell Thermal Balance Modeling Tools, Proceedings of the 145<sup>th</sup>, TMS Light Metal Conference, 327-332, (2016)
- Modeling Gravity Wave in 3D with OpenFoam in an Aluminum Reduction Cell with Regular and Irregular Cathode Surfaces, Proceedings of the 145<sup>th</sup>, TMS Light Metal Conference, 909-914, (2016)
- Modelling gravity waves in an aluminium reduction cell using OpenFoam, Article in the International Aluminium Journal, 92(1/2), 58-62, (2016)
- Presentation of an Improved Reversed Compensation Current (RCC) Busbar Concept Using Less Busbar Weight, International Congress & Exhibition: Non-Ferrous Metals and Minerals, (2016)
- Presentation of a New Anode Stub Hole Design Reducing the Voltage Drop of the Connection by 50 mV, International Congress & Exhibition: Non-Ferrous Metals and Minerals, (2016)
- New Busbar Network Concepts Taking Advantage of Copper Collector Bars to Reduce Busbar Weight and Increase Cell Power Efficiency, ICSOBA 34<sup>th</sup> Conference, (2016)

- Low Energy Consumption Cell Designs Involving Copper Inserts and an Innovative Busbar Network Layout, Proceedings of the 146<sup>th</sup>, TMS Light Metal Conference, 693-703, (2017)
- Designing cells for the future – Wider and/or even higher amperage?, Article in the International Aluminium Journal, 93(1/2), 45-49, (2017)
- Development of an AUTODESK CFD Based 3D Model of a Hall-Héroult Cell Hooding System HF Capture Efficiency, ICSOBA 35th Conference, (2017)
- Very Low Energy Consumption Cell Design: The Cell Heat Balance Challenge, Proceedings of the 147<sup>th</sup>, TMS Light Metal Conference, 689-697, (2018)
- Breaking the 11 kWh/kg Al barrier, Article in the International Aluminium Journal, 94(1/2), 30-34, (2018)
- Extended Energy Balance for Hall-Héroult Electrolysis Cells, Proceeding of the 12<sup>th</sup> Australasian Aluminium Smelting Technology Conference, available only on CD, (2018)
- How to Limit the Heat Loss of Anode Studs and Cathode Collector Bars in Order to Reduce Cell Energy Consumption, Proceedings of the 148<sup>th</sup>, TMS Light Metal Conference, 521-531, (2019)
- First Attempt to Break the 10 kWh/kg barrier using an wide cell design, Article in the International Aluminium Journal, 95(1/2), 24-29, (2019)
- Second attempt to break the 10 kWh/kg aluminium barrier using a wide cell design, ICSOBA 37th Conference, 849-859, (2019)
- Demo Retrofit Study of a Chinese Inspired Cell Technology, Proceedings of the 149<sup>th</sup>, TMS Light Metal Conference, 495-509, (2020)
- Performing MHD cell stability sensitivity analysis using MHD-Valdis, Article in the International Aluminium Journal, 96(1/2), 62-67, (2020)
- A Modernized ANSYS Based Finite Element Model for the Thermal Electrical Design of Aluminum Reduction Cells, ICSOBA 39th Conference, 563-579, (2020)
- Cathode Cooling Damages Due to Power Interruptions, ICSOBA 38th Conference, 581-595, (2020)
- Application and adaptability of MHD stability computation for modern aluminium reduction cells at extreme conditions of low ACD, Proceedings of the 150<sup>th</sup>, TMS Light Metal Conference, 565-571, (2021)
- Analyzing the impact on the cell stability power modulation on a scale of minutes, Article in the International Aluminium Journal, 97(1/2), 54-57, (2021)

- Review of the SAMI Retrofit Project in QTX Smelter in China, ICSOBA 40th Conference, 671-678, (2021)
- "Two-Step" Preheating of New Anodes with Anode Butts Wasted Heat, ICSOBA 40th Conference, 689-700, (2021)
- A Thermoelectrical Approach for the Modelling of Different Ledge Regions in Aluminum Reduction Cells, ICSOBA 40th Conference, 835-853, (2021)
- Advanced Alumina Dissolution Modelling, Proceedings of the 151<sup>st</sup>, TMS Light Metal Conference, 338-348, (2022)
- Stabilizing Electrolysis Cells with Oscillating Currents: Amplitude, Frequency, and Current Efficiency, Proceedings of the 151<sup>st</sup>, TMS Light Metal Conference, 551-559, (2022)
- Oscillating Currents Stabilize Aluminum Cells for Efficient, Low Carbon Production, JOM volume 74, pages 1908-1915, (2022)
- Testing the new MHD-Valdis alumina dissolution module, Article in the International Aluminium Journal, 98(1/2), 60-62, (2022)
- Stabilizing Aluminium Reduction Cells by Oscillating Currents in Magnetic Compensation Loops, ICSOBA 41st Conference, 1247-1258, (2022)
- Retrofitting of Several Cell Technologies Using a Protruding Collector Bar Cathode Assembly, ICSOBA 41st Conference, 1289-1300, (2022)
- Testing Feeding Alumina in Three Channels in a Wide Cell, Proceedings of the 152<sup>nd</sup>, TMS Light Metal Conference, 102-112, (2023)
- Capacity creep retrofit projects in the future especially their importance for China, Article in the International Aluminium Journal, 99(1/2), 21-25, (2023)
- Aluminium reduction energy-saving integrated technology industrial pilot of Sami, Article in the International Aluminium Journal, 99(1/2), 30-34, (2023)

#### GHOST WRITER PUBLICATIONS

- Mobile Monitoring System for Potroom Roof HF Emissions, Proceedings of the 144<sup>th</sup>, TMS Light Metal Conference, 607-610, (2015)
- ElectroSlag Welding (ESW): A New Option for Smelters to Weld Aluminum Bus Bars, Proceedings of the 144<sup>th</sup>, TMS Light Metal Conference, 837-842, (2015)
- Electroslag welding: A new technology to weld busbars in smelters, Article in the International Aluminium Journal from Verlag, 91(1/2), 34-36, (2015)